

MSD: One Step Prep

ND = Not Determined, NE = Not Established, NA = Not Applicable

Product:

Name: One Step Prep
Number: X210
Type: Floor Finish
Chemical Family: Floor Finish

Hazard Rating:

Health: 0
Flamability: 0
Reactivity: 0
P. Protection: 0

Chemical Name:

Diethylene Glycol Methyl Ether

CAS NO	WT%	PEL	TWA-LTV	STEL-TLV	Carcinogen
--------	-----	-----	---------	----------	------------

111-77-3	2-7	NE	NE	NE	N
----------	-----	----	----	----	---

Boiling Range:	212 F	Vapor Density:	ND
Vapor Pressure:	ND	Solubility in Water:	100%
%Volatile:	70 - 80	pH:	8.5
Specific Gravity:	1.02	Evaporation Rate:	Water
Extinguishing Media:	NA		

Upper Explosive Limit:	NA
Unusual Fire & Explosion Hazards:	NA
Special Fire Fighting Procedure:	NA
Flash Point (Method Used):	200 F

Physical Description:	Milky white liquid, Mild odor
Stability:	Stable
Incompatibility:	None Known
Hazardous decomposition products:	Normal Products of Combustion
Hazardous Polymerization:	Will not occur
Precautions to be taken in handling & Storage:	Keep out of reach of children. For trained personnel only. Keep container closed during storage. For Institutional & Industrial use only. Store away from fire.

Respiratory Protection:	No Special Requirements
Protective Gloves:	Waterproof or Chemical Resistant
Eye Protection:	Where contact is possible wear chemical goggles.
Ventilation:	Provide good ventilation to keep tlv at acceptable level.
Spillage:	Mop up, pickup with wet vac. Rinse area With water. For large spills dike area before clean up.
Disposal:	In accordance with Federal, State, & Local Regulations.

Physical Hazards:

Eyes:	May cause mild irritation.
Skin:	Prolonged or repeated contact may cause irritation.
Inhalation:	ND
Ingestion:	May cause irritation to the mouth, throat, and stomach. Vomiting & Diarrhea can be expected with large doses. Pre-existing eye or skin conditions may be aggravated.

Treatment:

Eyes:	Flush with running water for at least 15 min.
Skin:	Flush with water. See physician if irritation develops or persists.
Inhalation:	Remove to fresh air
Ingestion:	Drink large quantity of water. Seek medical attention immediately.

Supplier Information:

Name:	IDP LABS
Address:	1719 West Farms Rd. Bronx, N.Y.10460
Telephone:	1-800-877-0847